



MATERIAL SAFETY DATA SHEET

Page : 1 / 7

Revision nr : 1

Date : 11 / 6 / 2012

Supersedes : 0 / 0 / 0

PC LEAKINJECT UNI 6816 E CAT**PC 6816 E CAT**

C : Corrosive



8: Corrosive substances

Danger -**Producer**

ECC N.V.

Terbekehofdreef 50 - 52

2610 WILRIJK Belgie - Belgique

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.ecc-belgium.be

E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95

Responsible for distribution

TRADECC N.V.

Terbekehofdreef 50 - 52

2610 WILRIJK Belgique-Belgie

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.tradecc.be

E-mail : info@tradecc.be

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Identification of the product : Liquid.

Trade name : PC LEAKINJECT UNI 6816 E CAT.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Catalyst for waterproofing product.

1.3. Details of the supplier of the safety data sheet

Company identification : See producer.

1.4. Emergency telephone number

Emergency telephone number : +32 3 828 94 95

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture****Classification EC 67/548 or EC 1999/45**

C; R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

- Health hazards : Skin corrosion - Category 1A - Danger - (CLP : Skin Corr. 1A) - H314
Serious eye damage - Category 1 - Danger - (CLP : Eye Dam. 1) - H318

2.2. Label elements**Labelling EC 67/548 or EC 1999/45**

Symbol(s)

**ECC N.V.**

Terbekehofdreef 50 - 52 2610 WILRIJK Belgie - Belgique

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.ecc-belgium.be

E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95

PC LEAKINJECT UNI 6816 E CAT
PC 6816 E CAT
SECTION 2. Hazards identification (continued)

R Phrase(s) : Corrosive.
S Phrase(s) : R35 - Causes severe burns.
 : S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 : S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.
 : S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Hazard pictograms

: SGH05

Signal words

: Danger -

Hazard statements

: H314 - Causes severe skin burns and eye damage

Pictograms (Precautionary statements)

Precautionary statements
Prevention

: P280 - Wear .
 : P264 - Wash thoroughly after handling.
 : P260 - Do not breathe .

Response

: P321 - Specific treatment (see on this label)
 : P301+330+331 - If swallowed: Rinse mouth. Do NOT induce vomiting.

Disposal considerations

: P501 - Dispose of contents/container to .

2.3. Other hazards
Other hazards

: None under normal conditions.

SECTION 3. Composition/information on ingredients
3.1./3.2. Substance / Preparation

This product is considered to be hazardous and contains hazardous components.

Composition (prepar.)

Substance name	Value(s)	CAS nr	EINECS nr	EC index	REACH	CERTIFICATE
tert. amine	: 20 - 30 %	112-69-6	203-997-2	----	----	Xn; R22 C; R35 ----- Skin Corr. 1B;H314 Acute Tox. 4 (Oral);H302 Aquatic Acute 1;H400
A mixture of isomers of: C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate	: 0.01 - 1 %	125643-61-0	406-040-9	607-530-00-7	----	R53 ----- Aquatic Chronic 4;H413
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	: 0.01 - 1 %	68411-46-1	270-128-1	----	----	R52-53 ----- Aquatic Chronic 3;H412

**PC LEAKINJECT UNI 6816 E CAT****PC 6816 E CAT****SECTION 4. First aid measures****4.1. Description of first aid measures****First aid**

- **Inhalation** : If you feel unwell, seek medical advice. Assure fresh air breathing.
- **Skin contact** : Wash skin with mild soap and water.
- **Eye contact** : Obtain medical attention if pain, blinking or redness persist.
Rinse immediately with plenty of water.
- **Ingestion** : Never give anything by mouth to an unconscious person.
DO NOT INDUCE VOMITING.
Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms relating to use**

- **Inhalation** : May cause irritation to the respiratory tract and to other mucous membranes.
Inhalation of vapours may cause respiratory irritation.
Headache.

No data available.

- **Skin contact** : Causes burns.
- **Eye contact** : Blurred vision. Pain.
- **Ingestion** : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Firefighting measures**5.1. Extinguishing media****Extinguishing media**

- **Suitable** : Powder.
Alcohol foam.
Carbon dioxide.
- **Not to be used** : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

On exposure to high temperature, may decompose, releasing toxic gases.

5.3. Advice for firefighters

- Flammable class** : Combustible.
- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Prevention** : Keep away from sources of ignition. No smoking.
- Special procedures** : Treat as hydrocarbon fire.
Exercise caution when fighting any chemical fire.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.

6.2. Environmental precautionsNotify authorities if product enters sewers or public waters.
Prevent entry to sewers and public waters.



MATERIAL SAFETY DATA SHEET

Page : 4 / 7

Revision nr : 1

Date : 11 / 6 / 2012

Supersedes : 0 / 0 / 0

PC LEAKINJECT UNI 6816 E CAT**PC 6816 E CAT**

SECTION 6. Accidental release measures (continued)

6.3. Methods and material for containment and cleaning up

After spillage and/or leakage : Collect spills and put it into appropriated container.

6.4. Reference to other sections

See section 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Handling : Keep away from food, drink and animal feeding stuffs. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

Technical protective measures : Both local exhaust and general room ventilation are usually required.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

7.3. Specific end use(s)

See technical datasheet.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Personal protection

- **Respiratory protection** : Organic Vapour Filters - Class 2 Conforms to EN 141
 - **Skin protection** : S36/37 - Wear suitable protective clothing and gloves.
 - **Eye protection** : Even though no eye contact is expected under reasonable normal conditions of use, appropriate eye protection should be worn when handling this material.
 - **Hand protection** : Use rubber gloves.
 - **Ingestion** : When using, do not eat, drink or smoke.
- Industrial hygiene** : Provide local exhaust or general room ventilation.

8.2. Exposure controls

Occupational Exposure Limits : No data available.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1.a. Appearance

- **Physical state** : Liquid.
 - **Colour** : Slightly yellow.
 - **Odour** : Characteristic.
- 9.1.c. **Odour threshold** : No data available.
- 9.1.d. **pH** : No data available.
- 9.1.e. **Melting point / Freezing point** : No data available.
- 9.1.f. **Initial boiling point - boiling range** : No data available.
- 9.1.h. **Evaporation rate** : No data available.

ECC N.V.

Terbekehofdreef 50 - 52 2610 WILRIJK België - Belgique
Tel.: +32 3 828 94 95
Fax: +32 3 830 27 69
www.ecc-belgium.be
E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95



MATERIAL SAFETY DATA SHEET

Page : 5 / 7

Revision nr : 1

Date : 11 / 6 / 2012

Supersedes : 0 / 0 / 0

PC LEAKINJECT UNI 6816 E CAT**PC 6816 E CAT**

SECTION 9. Physical and chemical properties (continued)

- 9.1.i. **Flammability** : No data available.
9.1.j. **Explosion limits (lower - upper)** : No data available.
9.1.k. **Vapour pressure** : No data available.
• **Density** : 0.923 g/ml
9.1.n. **Solubility** : In water, material is partially soluble.
9.1.o. **Partition coefficient : n-octanol / water** : No data available.
9.1.p. **Auto-ignition temperature** : No data available.
9.1.q. **Thermal decomposition** : No data available.
• **Viscosity** : 36 mPas (25 °C)
9.1.s. **Explosive Properties** : No data available.
9.1.t. **Oxidising properties** : No data available.

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Direct sunlight.

Extremely high or low temperatures.

10.5. Incompatible materials

May react with bases, copper, silver, mercury, magnesium, zinc and their alloys. May react with aluminium.
Acids.

10.6. Hazardous decomposition products

No data available.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Toxicity information : Irritating to eyes, respiratory system and skin.

SECTION 12. Ecological information

12.1. Toxicity

Toxicity information : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Biodegradable.

12.3. Bioaccumulative potential

ECC N.V.

Terbekehofdreef 50 - 52 2610 WILRIJK België - Belgique

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.ecc-belgium.be

E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95



MATERIAL SAFETY DATA SHEET

Page : 6 / 7

Revision nr : 1

Date : 11 / 6 / 2012

Supersedes : 0 / 0 / 0

PC LEAKINJECT UNI 6816 E CAT**PC 6816 E CAT**

SECTION 12. Ecological information (continued)

No data available.

12.4. Mobility in soil

Prevent penetration in the soil, waters and sewers.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Disposal : Prevent penetration in the soil, waters and sewers.

SECTION 14. Transport information

General information

- UN No. : 2735
- H.I. nr : 80
- Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
- Hazard Label(s)



: 8: Corrosive substances

Land transport

- ADR Class : 8
- ADR Packing group : III

Sea transport


- IMO-IMDG code : Class 8
- IMO Packing group : III
- IMDG-Marine pollution : No
- EMS-Nr : F-A S-B

Air transport

- ICAO/IATA : Packaging instructions cargo : 856
Packaging instructions passenger: 852
- Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
- IATA - Class or division : 8
- IATA Packing group : III

In case of spillage and/or leakage : Clean up even minor leaks or spills if possible without unnecessary risk.

Other



: E : Passage forbidden through tunnels of category E.

Personal precautions

: The driver shall not attempt to deal with any fire of the load.

ECC N.V.

Terbekehofdreef 50 - 52 2610 WILRIJK België - Belgique

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.ecc-belgium.be

E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95



MATERIAL SAFETY DATA SHEET

Page : 7 / 7

Revision nr : 1

Date : 11 / 6 / 2012

Supersedes : 0 / 0 / 0

PC LEAKINJECT UNI 6816 E CAT**PC 6816 E CAT**

SECTION 14. Transport information (continued)

Emergency action in case of accident : No naked lights. No smoking.
Keep public away from danger area.
NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY.

Additional information : None.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ensure all national/local regulations are observed.

France : None.

15.2. Chemical safety assessment

No data available.

SECTION 16. Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IC50: The half maximal Inhibitory Concentration

EC50: The half maximal Effective Concentration

List of relevant R phrases (heading 3) : R22 - Harmful if swallowed.
R35 - Causes severe burns.
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53 - May cause long-term adverse effects in the aquatic environment.

Further information : None.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

The contents and format of this SDS are in accordance with REGULATION (EC) No 453/2010 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

End of document

ECC N.V.

Terbekehofdreef 50 - 52 2610 WILRIJK België - Belgique

Tel.: +32 3 828 94 95

Fax: +32 3 830 27 69

www.ecc-belgium.be

E-mail : info@ecc-belgium.be

Emergency phone : +32 3 828 94 95